

## How to Request Data from QWeb:

### Using ICD-10 Clinical Codes to Build a New Code Group

To access data from the QResearch database, Code Groups need to be built and linked to a Project. This Guide explains how to build ICD-10 Code Groups using QWeb. It is a stand-alone Guide but you may also wish to refer to the accompanying Video, '*How do I Build a new Code Group? (ICD-10)*'.

*Please note - you do not need to have Project Approval to build your Code Library, but Data will not be released until Approval has been granted.*

#### **Related Documents you may find useful:**

- Building a New Code Group using SNOMED Codes
- Building a New Code Group using BNF Codes
- Building a Code Group using QWeb Code Group Libraries
- Linking Code Groups to Projects created by other QWeb Users
- Code Group Versions: An Overview
- Saving and Checking In Code Groups
- Merging Code Groups
- Sharing Code Groups with other QWeb Users/Requesting a Review
- Reviewing someone else's Code Group
- How to make your own Code Groups visible to others
- Projects: An Introduction
- How to Make a Project Application
- Turning an Application Into a Project
- Using my Code Groups in Projects

QWeb is a regularly updated piece of software. The accompanying User Guides and Videos are frequently reviewed to ensure compatibility with the latest version of QWeb. It is important that you use the most recently published User Guides and Videos to ensure maximum accuracy. These can be found at:

<https://www.qresearch.org/qweb-guides>


QResearch welcomes feedback on these User Guides and Videos. If you have any suggestions or questions, please feel free to contact us here:

<https://www.qresearch.org/about/contact-us/>

*QResearch is part funded via the Data and Connectivity National Core Study, led by Health Data Research UK in partnership with the Office for National Statistics and funded by UK Research and Innovation (grant ref MC\_PC\_20058)*

## Building a Code Group Using ICD-10 Codes

1. Use the Login function to take you to the Welcome screen:




The screenshot shows the QRESEARCH website's welcome page. At the top left is the QRESEARCH logo with the tagline "Generating new knowledge to improve patient care". A navigation menu includes Home, Libraries, Projects, Profile, Contact, and Settings. The main content area is titled "Welcome" and contains the following text:

QRESEARCH is a not-for-profit organisation which specialises in high quality research and analysis of electronic primary care data sets. It is a partnership between the University of Oxford and EMIS the leading supplier of computer systems for 60% of general practices in the UK.


The main QRESEARCH is a large consolidated database derived from the anonymised health records from approximately 1,500 EMIS general practices spread throughout the UK. Historical records extend back to the early 1990's and the data have been validated making it one of the largest and richest general practice databases in the world.

2. To start building a Code Group, select 'Libraries':



The screenshot shows the QRESEARCH website with the "Libraries" menu item highlighted in the navigation bar. A purple arrow points to this menu item. The main content area remains the same "Welcome" message as in the previous screenshot.

3. This takes you to the Libraries main page. From here you can access your personal Code Group Library by either clicking on the [My Code Groups](#) link in blue or by selecting 'My Code Groups' from the menu to the left:



The screenshot shows the QRESEARCH website with the "Libraries" page loaded. The navigation bar now has "Libraries" selected. On the left, a sidebar menu titled "Code Groups" lists several options, with "My Code Groups" highlighted in blue and a purple arrow pointing to it. The main content area is titled "Code Group Libraries" and contains an "Announcements" section with the following text:


"My Library" is a place to build Code groups for use in your projects

You can base your code groups on existing groups, or you can create new groups by searching and browsing Drug & SNOMED/Read lists


Start by going to [My Code Groups](#)

A purple arrow points to the "My Code Groups" link in the text above.


- On first accessing your Library you will see the information below as no Code Groups have yet been added. To create a new Code Group, click on the blue link [[Create a new group](#)] in the top right-hand corner:



- This will take you to the following page:



In the first dropdown menu ('What sort of Code Group?') there are several types of Code Groups to choose from:





The types of Code Groups refer to the types shown in the table below:

Type of Code Group	Description
SNOMED/Read	Systemized Nomenclature of Medicine Clinical Terms (SNOMED International)/ Read Clinical Codes (retired 2020) (NHS UK)
Drug	BNF Classification of Prescribed Drugs (British National Formulary)
Procedural (OPCS)	Classification of Interventions and Surgical Procedures (Department of Health, UK)
Diagnostic (ICD9)	International Statistical Classification of Diseases and Related Health Problems – 9 <sup>th</sup> revision (World Health Organisation)
Diagnostic (ICD10)	International Statistical Classification of Diseases and Related Health Problems – 10 <sup>th</sup> revision (World Health Organisation)
Diagnostic (Oncology - ICD10-O)	International Statistical Classification of Diseases for Oncology (World Health Organisation)

*QWeb assumes an existing knowledge of these data types but if familiarisation is required, see the Appendix of this Guide for links to further information and training tools.*

- In this Guide we are using ICD10 Codes. To use these Codes, select them from the first Dropdown menu and click on the blue [continue](#) link:



- Next, create a name for your Code Group and add an optional Group description (example below). Type in the boxes and then click on the blue [Next](#) link:

**Create new Code Group**

Choose a name for your new Group

Heavy Cigarette Smokers

Add a description for your Group (optional)

People who smoke 40+ cigarettes per day

[Next](#)

- Now that you have created a name for your Code Group, QResearch will assign it a numeric ID. You can then start selecting codes for your Group by selecting the blue link '[Click here to start editing the new group](#)':

**QRESEARCH** "Generating new knowledge to improve patient care"

Home **Libraries** Projects Profile Contact Settings

Code Groups

- My Code Groups
- QWeb Code Library
- I am reviewing
- bnf** BNF (Fixed Drug Groups)
- Merge
- Compare

## New Code group created

The new group has been created with an ID of: **15456**

The group is checked out and will remain in Draft until you check it in

[Click here to start editing the new group](#)

[Click here to return to your list of groups](#)

This takes you to the default Browse option, where the 22 ICD-10 Chapter Codes are displayed:

**QRESEARCH** "Generating new knowledge to improve patient care"

Home **Libraries** Projects Profile Contact Settings

Code Groups

- My Code Groups
- QWeb Code Library
- I am reviewing
- bnf** BNF (Fixed Drug Groups)
- Merge
- Compare

**Browse | Search**


**Heavy Cigarette Smokers (0)**

All

- 1 : Certain infectious and parasitic diseases (A and B)
- 2 : Neoplasms (C00 to D48)
- 3 : Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50 to D89)
- 4 : Endocrine, nutritional and metabolic diseases (E)
- 5 : Mental and behavioural disorders (F)
- 6 : Diseases of the nervous system (G)
- 7 : Diseases of the eye and adnexa (H00 to H59)
- 8 : Diseases of the ear and mastoid process (H60 to H95)
- 9 : Diseases of the circulatory system (I)
- 10 : Diseases of the respiratory system (J)
- 11 : Diseases of the digestive system (K)
- 12 : Diseases of the skin and subcutaneous tissue (L)
- 13 : Diseases of the musculoskeletal system and connective tissue (M)
- 14 : Diseases of the genitourinary system (N)
- 15 : Pregnancy, childbirth and the puerperium (O)
- 16 : Certain conditions originating in the perinatal period (P)
- 17 : Congenital malformations, deformations and chromosomal abnormalities (Q)
- 18 : Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R)
- 19 : Injury, poisoning and certain other consequences of external causes (S and T)
- 20 : External causes of morbidity and mortality (V, W, X and Y)
- 21 : Factors influencing health status and contact with health services (Z)
- 22 : Codes for special purposes (U)

See Step 11 to learn about the Search function. Continue to Step 9 to build Codes using the Browsing function.

Alternatively, you can view your Code Groups in 'My Code Groups':




**My Code Groups** [\[Create a new Group\]](#)

Found 1 Code Groups

Refine your results  All Group Types Sort By Name Show 20 Groups

ID	Name	Type	VarName	Version	Codes
15505	<a href="#">Heavy Cigarette Smokers</a>	ICD10_DIAG		(draft)	0

Here you can view/edit the Code Group Details by clicking on the name of the Group in [blue](#) which takes you to the information below:



**Heavy Cigarette Smokers [ID:15505]**

Code Group Details [\[Edit Details\]](#)

Heavy Cigarette Smokers was created by charlie@dancinghouse.co.uk  
The group is checked out for editing.

Checked out to charlie@dancinghouse.co.uk  
Check in to unlock the "Review" options.


*People who smoke 40+ cigarettes per day*

This group is **LOCKED to 3rd Parties**  
(If this group is shared via a project then project collaborators will not be able to edit the group)

Project Usage

This codegroup is not currently used in any projects

You can click on the [Edit Details](#) link on the top right to edit the Code Group name/description:



**Heavy Cigarette Smokers [ID:15505]**

Details [Share Settings](#) [Reviews](#)


Readcode Group Details


Group name: Heavy Cigarette Smokers

Description: People who smoke 40+ cigarettes per day

Locked to 3rd Parties




From this Code Group Details area click on  to return to the [Browse](#) and [Search](#) options and add new Codes:



The next section of this Guide focuses on using the Browse Function. To learn more about the Search Function, see Step 12.

### Building Codes using the Browse Function

9. If you are viewing Codes in Browsing mode, click on a Chapter's name (in blue) to access Categories and/or Subcategories to add:




You can then access all the Categories in that Chapter (you can scroll down the online list for more Categories):






10. To select a Category's Code, tick its checkbox and it will be added to your Code Group:



The screenshot shows the QRESEARCH interface. The main heading is "Browse | Search". On the right, the group name "Heavy Cigarette Smokers (1)" is displayed in blue. Below this, there is a list of codes under the heading "All : 10". A "Select / Deselect all" button is present. The following codes are listed:

- J00 : Acute nasopharyngitis [common cold]
- J01 : Acute sinusitis
- J02 : Acute pharyngitis
- J03 : Acute tonsillitis
- J04 : Acute laryngitis and tracheitis


11. Alternatively, click on a Category's name in blue to access and add its Subcategory Code/s. (You also have the option to 'Select All' of the Category or Subcategory Codes you are viewing on the page):



The screenshot shows the QRESEARCH interface. The main heading is "Browse | Search". On the right, the group name "Heavy Cigarette Smokers (2)" is displayed in blue. Below this, there is a list of codes under the heading "All : 10 : J04". A "Select / Deselect all" button is present. The following codes are listed:

- J04 : Acute laryngitis and tracheitis
- J040 : Acute laryngitis
- J041 : Acute tracheitis
- J042 : Acute laryngotracheitis


The number of Codes in your Group will be visible in the Counter the top right of the screen next to the group name in blue. The Group's Contents can also be viewed at this stage by clicking on the name of the Code Group in the top right of the screen. For example, if you click on [Heavy Cigarette Smokers](#) the Contents of the Code Group will be displayed:



The screenshot shows the QRESEARCH interface displaying the contents of the "Heavy Cigarette Smokers (2)" group. At the top, it says "You currently have this group checked out." Below this, it states "Heavy Cigarette Smokers contains the codes listed below" and "Untick the boxes to remove codes". A table lists the codes:

DMDID	Text (DMD/SNOMED) Approved / Emis	Bnf	Ingredient(s)
<input checked="" type="checkbox"/> J041	J041 - Acute tracheitis	-	
<input checked="" type="checkbox"/> J042	J042 - Acute laryngotracheitis	-	

If you wish to remove Codes from the Group this can be done in this area by unticking the boxes.

Clicking on the  link in the upper right-hand corner of the page also enables you to view the Codes in your Code Group, and/or access the Search function again to select and add more Codes.

Your Group will be saved as Version that can be accessed in My Code Groups.


It will remain 'Checked Out' to you for editing until it is 'Checked In'. It will need to be 'Checked In' to be for data to be released to use in an approved Project or to be Reviewed by another user. (See the User Guide '*Saving and Checking In Code Groups*' for guidance on this.)

Once Checked In, a Version can be Checked Out by you for further editing or to another User for Review using the Review process. (For further details on this process, refer to the User Guides '*Sharing Code Groups with other QWeb Users/Requesting a Review*' and '*Reviewing someone else's Code Group*'.)


The next section shows how to use the Search function to Build a new Code Group.

### Building a Code Group by Using the Search Function

12. You can use the Search function to search by text or Category/Subcategory number. For example, if you want to search for 'pancreas' type in the word and click on the green box with the arrow:




13. You will then see all 23 results for that search term. Tick the checkbox to select and add a Category and/or Subcategory Code or Codes to your Group, or alternatively Select All to add all of the Codes:




(The Counter to the top right of the screen records the total number of Codes selected.)


14. To Search for a Code by number, enter it into the Search box and click on the green box with the arrow:




15. You will then see the Code displayed and be able to tick the checkbox to select and add it to your Code Group:



(The Counter to the top right of the screen records the total number of Codes selected.)

Any Codes that have been added can be Saved in a Code Group. This Group will remain 'Checked Out' to you for further editing until you Check it In. You can view the Codes in your Group contains by using the  function:



The Code Group will need to be 'Checked In' to be Reviewed or for data to be used in an approved Project. (See the User Guide 'Saving and Checking In Code Groups' for further details.)

### **Further Information/Training Tools for Clinical Code Classification**

World Health Organisation ICD-10 Interactive Self-Learning Tool:

<https://apps.who.int/classifications/apps/icd/ICD10Training/ICD-10%20training/Start/index.html>

BNF list of Prescribed Drugs:

<https://bnf.nice.org.uk/drug/>

SNOMED:

<https://www.snomed.org/snomed-ct/snomed-in-action>

<https://digital.nhs.uk/services/terminology-and-classifications/snomed-ct>

Read Codes:

<https://digital.nhs.uk/services/terminology-and-classifications/read-codes>